## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions and listings of claims in the application:

## LISTING OF CLAIMS:

- 1. (canceled).
- 2. (previously presented): The light-emitting device according to claim 35, wherein the phosphorescent compound is an organic metal complex.
- 3. (original): The light-emitting device according to claim 2, wherein the organic metal complex is an ortho-metalated metal complex.
  - 4. (canceled).
  - 5. (original): A polymer comprising a repeating unit represented by formula (D-I):

$$\begin{array}{c}
\begin{pmatrix}
H & H_2 \\
C & C
\end{pmatrix} \\
\stackrel{\downarrow}{A}r^{D} \\
N & (R^{D2})_{m^{D}}
\end{array}$$

$$(R^{D1})_{n^{D}}$$

wherein  $Ar^D$  represents an arylene group or a divalent heterocyclic group;  $R^{D1}$  and  $R^{D2}$  each independently represent a hydrogen atom or a substituent;  $n^D$  represents an integer of 0 to 3; and  $m^D$  represents an integer of 0 to 5.

6. (previously presented): A light-emitting device comprising at least one organic compound layer comprising a light-emitting layer between a pair of electrodes wherein the at least one organic compound layer comprises a heterocyclic compound comprising a repeating

$$\begin{array}{c}
\begin{pmatrix}
H & H_2 \\
C & C
\end{pmatrix} \\
\begin{pmatrix}
Ar^D \\
N
\end{pmatrix} \\
N
\end{array}$$

$$\begin{pmatrix}
R^{D2} \\
M
\end{pmatrix} \\
\begin{pmatrix}
R^{D1} \\
N
\end{pmatrix} \\
\begin{pmatrix}
R^$$

unit represented by formula (D):

wherein Ar<sup>D</sup> represents an arylene group or a divalent heterocyclic group; R<sup>D1</sup> and R<sup>D2</sup> each independently represent a hydrogen atom or a substituent; n<sup>D</sup> represents an integer of 0 to 3; m<sup>D</sup> represents an integer of 0 to 5; and m' represents 0 or 1.

- 7. (original): The light-emitting device according to claim 6, wherein the substituent is a group selected from the group consisting of an alkyl group, an alkenyl group, an alkynyl group, an aryl group, an alkoxy group, an aryloxy group, an acyl group, a halogen atom, a cyano group, a heterocyclic group, and a silyl group.
  - 8. (canceled).
  - 9. (previously presented): A light-emitting device comprising:

at least one organic compound layer comprising a light-emitting layer between a pair of electrodes, wherein the at least one organic compound layers comprise a heterocyclic compound having at least two hetero atoms and a phosphorescent compound, and wherein the heterocyclic compound is represented by formula (I):

$$Q \longrightarrow R$$


wherein R represents a hydrogen atom or a substituent; X represents =N- or =N- $R^a$ ;  $R^a$  represents a hydrogen atom, an aliphatic hydrogen group, an aryl group or a heterocyclic group; and Q represents an atomic group necessary for forming a 5-membered hetero ring together with N and X,

wherein the heterocyclic compound is a polymer comprising a repeating unit represented by formula (E):

$$\begin{array}{c}
(R^{E1})_{nE} \\
(R^{E2})_{mE}
\end{array}$$
(E)

wherein Ar<sup>E</sup> represents an arylene group or a divalent heterocyclic group; R<sup>E1</sup> and R<sup>E2</sup> each independently represent a hydrogen atom or a substituent; n<sup>E</sup> and m<sup>E</sup> each independently represent an integer of 0 to 5; and n' represents 0 or 1.

- 10. (original): The light-emitting device according to claim 9, wherein the substituent is a group selected from the group consisting of an alkyl group, an alkenyl group, an alkynyl group, an aryl group, an alkoxy group, an aryloxy group, an acyl group, a halogen atom, a cyano group, a heterocyclic group, and a silyl group.
- 11. (original): The light-emitting device according to claim 3, wherein the orthometalated metal complex is an iridium complex.
- 12. (previously presented): The light-emitting device according to claim 6, wherein the organic compound layers further comprise a polymer.
- 13. (previously presented): The light-emitting device according to claim 35, wherein the phosphorescent compound has a phosphorescence quantum yield at room temperature of at least 25%.
- 14. (original): The light-emitting device according to claim 3, wherein the orthometalated metal complex contains 5 to 100 carbon atoms.
- 15. (original): The light-emitting device according to claim 3, wherein the orthometalated metal complex is a compound having a partial structure represented by formula (K-1):



wherein M represents a transition metal;  $Q_{k1}$  represents an atomic group necessary for forming a 5- or 6-membered aromatic ring; and  $Q_{k2}$  represents an atomic group necessary for forming a 5- or 6-membered aromatic azole ring;

or tautomer of the compound.

- 16-20. (canceled).
- 21. (currently amended): The <u>light-emitting device polymer</u> according to claim 5, wherein n<sup>D</sup> of formula (D-I) is 0 or 1.
- 22. (currently amended): The light-emitting device polymer according to claim 5, wherein m<sup>D</sup> of formula (D-I) is 0 or 1.
- 23. (currently amended): The <u>light-emitting device-polymer</u> according to claim 22, wherein m<sup>D</sup> of formula (D-I) is 1.
- 24. (currently amended): The light-emitting device-polymer according to claim 5, wherein R<sup>D1</sup> and R<sup>D2</sup> each independently represents a hydrogen atom, an alkyl group, an aryl group or an aromatic heterocyclic group.
- 25. (currently amended): The <u>light-emitting device-polymer</u> according to claim 24, wherein R<sup>D1</sup> and R<sup>D2</sup> each independently represents a hydrogen atom or an alkyl group.
- 26. (currently amended): The <u>light emitting device polymer</u> according to claim 25, wherein R<sup>D1</sup> and R<sup>D2</sup> represent a hydrogen atom.
  - 27. (canceled).
- 28. (previously presented): The light-emitting device according to claim 6, wherein m' of formula (D) is 1.

- 29. (previously presented): The light-emitting device according to claim 6, wherein n<sup>D</sup> of formula (D-I) is 0 or 1.
- 30. (previously presented): The light-emitting device according to claim 6, wherein m<sup>D</sup> of formula (D-I) is 0 or 1.
- 31. (previously presented): The light-emitting device according to claim 30, wherein m<sup>D</sup> of formula (D-I) is 1.
- 32. (previously presented): The light-emitting device according to claim 6, wherein R<sup>D1</sup> and R<sup>D2</sup> each independently represents a hydrogen atom, an alkyl group, an aryl group or an aromatic heterocyclic group.
- 33. (previously presented): The light-emitting device according to claim 32, wherein  $R^{D1}$  and  $R^{D2}$  each independently represents a hydrogen atom or an alkyl group.
- 34. (previously presented): The light-emitting device according to claim 33, wherein  $R^{D1}$  and  $R^{D2}$  represent a hydrogen atom.
- 35. (previously presented): The light-emitting device according to claim 6, wherein the at least one of the organic compound layers further comprises a phosphorescent compound.
  - 36. (canceled).
- 37. (currently amended): The light-emitting device according to claim 36 9, wherein the phosphorescent compound is an organic metal complex.
- 38. (currently amended): The light-emitting device according to claim  $6\underline{37}$ , wherein the organic metal complex is an ortho-metalated metal complex.